


EventSeries™ OFC Starquad Microphone Cable MLX4



Application

MLX4 is a professional grade oxygen free microphone cable. It has a LAP screen and an enlarged sheath which is made of a very soft and flexible compound mix with matt finish. For use in noisy areas since the starquad design cancels out interference and external noise, so it's ideal for noisy areas. The cable also has a kevlar strength member adding to the cables durability.

Key Features:



- High flex
- Supple matt finish
- Kevlar for pull strength
- Kink resistant
- Low noise

Cable Construction

Conductor	Oxygen free Copper, 28 x 0.1mm (0.22mm ²)
Insulation	Special Polymer. Red/Blue/Green/White cores
No. Of Pairs	2 twisted to Quad formation
Strain Relief	Kevlar strength member with cotton fillers
Shield	Bare copper spiral screen
Outer Jacket	Technopolemero, Black

Electrical Characteristics

Nom. Capacitance (cond./cond.)	90 pF/m
Nom. Capacitance (cond./cond./shield)	180 pF/m
Conductor resistance	85 Ω/km
Insulation resistance	20 MΩ*km
Operating voltage	50/75 V AC/DC
Test voltage (C-C at 50Hz eff. for 1min.)	> 1.2 kV
Test voltage (C-S at 50Hz eff. for 1min.)	> 1 kV

Part Number	Ø - Outer Jacket (mm)	Colour
MLX4-01	6.75	Black 
MLX4-02	6.75	Blue 
MLX4-04	6.75	Red 